LW25- $\frac{363}{420}$ / Y4000-50

High-Voltage AC SulfurHexafluoride Circuit Breaker

Product usage and maintenance manual

OKA. 412. 376-B02

Lugao Power Co.,Ltd.

Table of Contents

1 Overview 2
1.1 Product Model and Name 2
1.2 Main uses and application scope of the product 2
1.3 Product usage conditions 2
1.4 Product Technical Parameters 2
1.5 Product shape drawing and external dimension 3
2 Structural characteristics and working principle 5
2.1 Structural Characteristics. 5
2.2 Arc extinguishing chamber structure and working principle 5
2.3 Closing resistance 7
2.4 Shell assembly 7
2.5 Pillar assembly 4
2.6 Connection mechanism 8
2.7 Hydraulic spring operating mechanism 9
2.8 SF6. Gas system... 9
2.9 Electrical control principle 10
3 Installation 11
4 Usage operation 11
4.1Preparation and Inspection Before Use. 11
4.2 Electrical operation 11
4.3 Emergency manual operation 12
4.4 Monitoring, recording and precautions during the operation of the product 12
5 Fault Analysis and Troubleshooting 12
6 Maintenance and overhaul 13
6.1 Regular Maintenance 13
6.2 Comprehensive overhaul 14
6.3 Maintenance precautions 15
7 Random files and random attachments, tools 1 1
7.1 Random File 15
7.2 Random Accessories and Tools 15
8 The Impact of Products on the Environment 16
9 Others 16